

HAYSSEN X850 FLOW WRAPPER

An innovative, multi-jaw flow wrapper engineered for high-speed production, exceptional seal integrity, jam-free reliability, and intuitive HMI control.

APPLICATIONS / INDUSTRIES:

- ✓ Block Cheese
- ✓ Sliced Cheese
- ✓ Confectionery
- ✓ Personal Care

WHY CHOOSE THE HAYSSSEN X850?

BUILT FOR HIGH PERFORMANCE. BACKED BY LIFETIME SUPPORT.



Streamlined Operation — Patented servo-ring technology enhances performance, while independent jaw-temperature control and servo film-edge tracking ensure consistent, high-quality seals. Auto splice-on-the-fly with pivoting spindles keeps production moving.



High Throughput — Smart anti-jam technology keeps production moving, while high speeds and extended dwell time deliver consistent sealing quality. Servo-controlled jaws minimize wear and reduce maintenance needs.




Empowers Operators — Modern OpView™ HMI enables operators to be self-sufficient through guided onboarding, intuitive navigation, clear functional parameters, and step-by-step instructions to maximize machine speed.

Split high/low voltage NEMA 4x electrical cabinet

Customizable RFID Login & OpView™ HMI technology standard

Illuminated machine status and task lighting



Patented individual ring technology

Servo control film edge tracking

IP66 wash down

PROVEN | LONG-LASTING | SEAMLESS INTEGRATION

The Hayssen X850 flow wrapper is designed for manufacturers who require high-speed performance and superior seal integrity. Ideal for block and sliced cheese as well as select confectionery and personal care products, the X850 delivers precise product handling and consistently high-quality packaging.

Built in the USA, the X850 combines a rugged mechanical platform with advanced automation to provide reliable, efficient throughput at scale. Its innovative design and anti-jam technology helps streamline production while ensuring consistent, repeatable operation day in and day out.

By seamlessly integrating the Hayssen X850 with upstream and downstream equipment, we deliver a cohesive, performance guaranteed packaging system—expertly managed by our project team to provide a seamless, turnkey solution.

Specifications			
Production Speed	Up to 300ppm / >1 sec of dwell time	Auto-pack Rejection	Yes
Infeed	Auto-fed solution	Cleaning	IP66 wash down
Pack Styles	Pillow, Zip, C-fold, Dual	Electrical	480V, 3Ph
Jaws	Multiple (up to 12)	Integrations	Upstream and downstream equipment
Unwind	Dual spindles with auto splicing	Dimensions (inches)	163 L x 61 W x 79 H
Anti-jam Technology	Yes	Dimensions (mm)	4140 L x 1549 W x 2006 H



Talk to us about your operation.
Let's design a solution together.

MORE THAN MACHINES. A PARTNERSHIP FOR LIFE.

At BW Packaging, we don't just build machines — we're your lifetime partner in production success. Our global service network, parts availability, training and upgrades all work together to keep your machines running for years to come.



bw **PACKAGING**
a **barrywehmler** company

bwpackaging.com